



Western Red Cedar Clear Bevel Siding

Item	Exposure	Coverage	Lengths	Seasoning	Grade
<i>1/2" x 6" Clear Bevel</i>	4"	300 LF/SQ	3' - 20'	<i>Kiln Dried</i>	<i>Clear</i>
<i>1/2" x 8" Clear Bevel</i>	6"	200 LF/SQ	3' - 20'	<i>Kiln Dried</i>	<i>Clear</i>

Application: Exterior Siding

Species: Western Red Cedar

Grade: Clear A Grade

Finish: Smooth

Features & Benefits:

- Milled from the finest quality fiber in North America
- Clear A Grade fiber that is excellent for a paint finish
- Contains natural oils and resins that make it resistant to insects, rot, and decay



Western Red Cedar Knotty Bevel Siding

Item	Exposure	Coverage	Lengths	Seasoning	Grade
<i>3/4" x 8" Knotty Bevel</i>	<i>6"</i>	<i>200 LF/SQ</i>	<i>6' - 20'</i>	<i>Kiln Dried</i>	<i>Sound Tight Knot</i>
<i>3/4" x 10" Knotty Bevel</i>	<i>8"</i>	<i>150 LF/SQ</i>	<i>6' - 20'</i>	<i>Kiln Dried</i>	<i>Sound Tight Knot</i>

Application: Exterior Siding

Species: Western Red Cedar

Grade: Sound Tight Knot

Finish: Fully Reversible (smooth/rough)

Features & Benefits:

- Milled from the finest quality fiber in North America
- Clear A Grade fiber that is excellent for a paint finish
- Contains natural oils and resins that make it resistant to insects, rot, and decay



Western Red Cedar Nickel Gap Siding

Item	Thickness	Exposure	Coverage	Lengths	Finish	Seasoning	Grade
1 x 6 T&G Nickel Gap	11/16"	5"	240 LF/SQ	8' - 20'	Smooth/Rough	Kiln Dried	Elite Knotty
1 x 8 T&G Nickel Gap	11/16"	6-3/4"	180 LF/SQ	8' - 20'	Smooth/Rough	Kiln Dried	Elite Knotty

Application: Exterior and Interior Siding & Paneling

Species: Western Red Cedar

Grade: Elite Knotty

Finish: Fully reversible (smooth/rough)

Features & Benefits:

- Milled from the finest quality fiber in North America
- Excellent for siding, soffit, patio ceilings, and accent walls
- No hole knotty Cedar
- Contains natural oils and resins that make it resistant to insects, rot, and decay



Western Red Cedar V-Joint Siding

Item	Thickness	Exposure	Coverage	Lengths	Finish	Seasoning	Grade
1 x 6 T&G V-Joint	1 1/16"	5"	240 LF/SQ	8' - 20'	Smooth/Rough	Kiln Dried	Elite Knotty
1 x 8 T&G V-Joint	1 1/16"	6-3/4"	180 LF/SQ	8' - 20'	Smooth/Rough	Kiln Dried	Elite Knotty

Application: Exterior and Interior Siding & Paneling

Species: Western Red Cedar

Grade: Elite Knotty

Finish: Fully reversible (smooth/rough)

Features & Benefits:

- Milled from the finest quality fiber in North America
- Excellent for siding, soffit, patio ceilings, and accent walls
- No hole knotty Cedar
- Contains natural oils and resins that make it resistant to insects, rot, and decay



Western Red Cedar Channel Siding

Item	Thickness	Exposure	Coverage	Lengths	Finish	Seasoning	Grade
1 x 8 Cedar Channel	1 1/16"	6-5/8"	184 LF/SQ	8' - 20'	Rough Sawn	Kiln Dried	Sound Tight Knot
1 x 10 Cedar Channel	1 1/16"	8-5/8"	142 LF/SQ	8' - 20'	Rough Sawn	Kiln Dried	Sound Tight Knot

Application: Exterior Siding

Species: Western Red Cedar

Grade: Sound Tight Knot

Finish: Rough Sawn

Features & Benefits:

- Milled from the finest quality fiber in North America
- Beautiful rich coloring and grain
- Contains natural oils and resins that make it resistant to insects, rot, and decay



Western Red Cedar Wavy Edge Siding

Item	Thickness	Width	Exposure	Coverage	Lengths	Seasoning	Grade
Wavy Edge Siding	15/16"	8-1/2" - 9-1/8"	7-1/2"	160 FL/SQ	8' - 16'	Kiln Dried	Sound Tight Knot

Application: Exterior Siding

Species: Western Red Cedar

Grade: Sound Tight Knot

Finish: Rough Sawn

Features & Benefits:

- Milled from the finest quality fiber in North America
- Hand cut for an authentic old world wavy edge appearance
- Beautiful rich coloring and grain
- Contains natural oils and resins that make it resistant to insects, rot, and decay